



# Test Report

No.: 70.404.25.11199.01

Date: 2025-05-14

**Applicant:** BAZHOU MAR-FURNITURE CO., LTD.  
**Address:** SOUTH OF SHIJIAPU VILLAGE, DONGDUAN TOWN, BAZHOU CITY, LANGFANG CITY, HEBEI PROVINCE  
**Product Name:** Seat and back: fabric covered  
 Frame: metal with black matt powder coating finishing  
**Buyer:** sweeek  
**Model No.:** MS-8314-1  
**PO / Order No.:** 0520250228  
**Country of Origin:** CHINA  
**Country of Destination:** FRANCE  
**Receipt Date of Sample:** 2025-04-27  
**Date of Testing:** From 2025-04-27 to 2025-05-13  
**Sample Submitted:** The sample(s) was (were) submitted by applicant and identified.  
**Test Result:** Refer to the data listed in following pages

Test Item	Conclusion
1. EN 12520:2024 Furniture - Safety, strength and durability – Requirements for domestic seating	Pass (See remark)
2. EN 1022:2023 Furniture - Seating - Determination of stability	Pass

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch  
 Testing Center

Prepared by:

Jenny Yao  
 Technical Engineer

Authorized by:

Sawyer Tang  
 Technical Manager



**Note:**

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3. For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) Sample and (or) material information is provided by the client. TÜV SÜD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.
- (3) The testing results are only valid for the sample tested.
- (4) The test report shall not be reproduced except in full, without the written approval of the laboratory.
- (5) Disclaimer Measurement Uncertainty:  
 Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Description of Tested Subject:

1	Product Description	Chair
2	Dimensions / Weight	L713 x W822 x H699 (mm) / 12.4 (kg)
Front view		Side view
		
Back view		Bottom view
		



# Test Report

No.: 70.404.25.11199.01

Date: 2025-05-14

## Test Result(s):

### 1. EN 12520:2024 Furniture - Strength, durability and safety - Requirements for domestic seating

Item	Requirement-test item	Result, Remark	Evaluation
5	Safety, strength and durability		P
5.1	General safety requirements		P
5.1.1	General		P
5.1.2	Holes in tubular or rigid components		P
5.1.3	Shear and compression points		P
5.1.3.1	Shear and squeeze points during use		P
5.1.3.2	Shear and compression points when setting up and folding		P
5.1.3.3	Shear and compression points under influence of non-electrically powered mechanisms		N/A
5.1.3.4	Shear and compression points during use		P
5.2	Stability	See EN 1022 result.	P
5.3	Strength and durability		P
	Seat static load and back static load test	Seat Force: 1300N Back Force: 450N Cycle: 10	P
	Seat front edge static load test	Force: 1300N Cycle: 10	P
	Foot rest static load test		N/A
	Leg rest static load test		N/A
	Arm rest sideways static load test	Force: 300N Cycle: 10	P
	Arm rest downwards static load test	Force: 750N Cycle: 10	P
	Combined seat and back durability test	Seat Force: 1000N Back Force: 300N Cycle: 25000	P
	Seat front edge durability test	Force: 800N Cycle: 20000	P
	Seat side-to-side durability test		N/A
	Arm rest durability test	Force: 400N Cycle: 10000	P
	Leg forward static load test	Seat Load: 1000N Force: 400N Cycle: 10	P
	Leg sideways static load test	Seat Load: 1000N Force: 300N Cycle: 10	P
	Seat impact test	Drop Height: 180mm Cycle: 10	P
	Backward fall test		N/A



	Back impact test	Angle of fall: 28° Cycle: 10	P
	Durability of electrically operated seating products		N/A
5.4	Requirements	No fracture or loosening was found, and the sample fulfilled its Strength and durability requirements after test.	P
6	Information for use	No information for use was provided.	N/T

Abbreviation: P=Pass; F=Fail; N/A = Not Applicable; N/T=Not Tested; N/R=Not Requested

2. EN 1022:2023 Furniture - Seating - Determination of stability

Item	Requirement-test item	Result, Remark	Evaluation
7	Test methods for assessing stability of all seating except loungers		P
7.1	General		-
7.2	Requirements		P
7.3	Test procedures, all seating		-
7.3.1	Forwards overturning		P
7.3.2	Forwards overturning for seating with foot rest		N/A
7.3.3	Corner stability test		N/A
7.3.4	Sideways overturning, all seating without arm rests		N/A
7.3.5	Sideways overturning, all other seating		P
7.3.5.1	General		-
7.3.5.2	Seating with arm rests		P
7.3.5.3	Seating with raised edges		N/A
7.3.6	Rearwards overturning all seating with back rests		P
7.4	Additional test procedures for seating with reclining back rests		N/A
7.4.1	General		-
7.4.2	Tilting seating		N/A
7.4.3	Reclining seating with leg rest		N/A
7.4.4	Reclining seating without leg rest		N/A
7.4.5	Rearwards stability test for rocking chairs		N/A
8	Loungers		N/A
8.1	General		-
8.2	Requirements		N/A
8.3	Test procedures		-
8.3.1	Forwards overturning		N/A
8.3.2	Sideways overturning		N/A
8.3.3	Rearwards stability - Upright position		N/A
8.3.4	Rearwards stability - Recline position		N/A

Abbreviation: P=Pass; F=Fail; N/A = Not Applicable; N/T=Not Tested; N/R=Not Requested

Remark:

1. The sample has been examined according to the minimum requirements described in the product standard
2. The information for use was not submitted by the client.

-End of Test Report-